Fe³⁺ Partitioning and Geothermometry Among Mafic Silicates in the Carthage-Colton Mylonite Zone, Adirondack Mountains, New York

Sue Young Jin

Department of Geology, Whitman College, Walla Walla, WA 99362 Faculty Sponsor: Dr. John D. Winter, Whitman College

Rachel A. Graham

Department of Geology, Union College, Schenectady, NY 12308 Faculty Sponsor: Dr. George Shaw, Union College

INTRODUCTION

Ferric iron (Fe³⁺) partitioning and geothermometry calculations can reveal useful information about metamorphic conditions such as temperature and pressure. The objective of this project is to measure and understand the distribution of Fe³⁺ among coexisting minerals and the conditions that control it in a ductile shear zone environment. The Diana Complex of the Carthage-Colton Mylonite Zone (CCMZ) in the Adirondack Mountains in northern New York is the particular shear zone analyzed. Samples were taken from inside and outside of a shear zone. We determined Fe³⁺ partitioning among hornblende, clinopyroxene, and biotite. Variations in mineral deformation and Fe³⁺ partitioning were expected because of the temperature difference between the relatively cool shear zone and the area outside.

GEOLOGIC SETTING

The regional geologic history of the Adirondack Mountains can be divided into three major events: the Elzevirian Orogeny (ca.1350-1200 Ma), the Ottawan Orogeny (ca. 1100-1000 Ma), and a period of renewed metamorphism (ca. 1000 Ma). The Elzevirian Orogeny is characterized by global-scale accretion and is also evidenced in the southwest U.S., Ireland, and Baltica. Global-scale continental collision occurred during the Ottawan Orogeny (McLelland *et al.* 1996). While both the Adirondack Lowlands and Highlands experienced peak metamorphism during the Ottawan Orogeny, granulite facies metamorphism was restricted to the Highlands as the Lowlands cooled, ca. 1000 Ma (van der Pluijm *et al.* 1994).

The Grenville Orogen is located primarily in southeastern Canada and extends south into northern New York State. The southern part of the orogen is divided into the Gneiss belt, the Metasedimentary belt, and the Granulite belt on the basis of lithologic, metamorphic, structural, and geophysical contrasts. The Metasedimentary belt, which makes up the Adirondack Lowlands, is dominated by marbles, metasedimentary rocks, and metavolcanic rocks of greenschist to granulite facies. The Granulite belt, which makes up the Adirondack Highlands, is characterized by meta-igneous rocks of upper amphibolite to granulite facies. These two belts are separated by the CCMZ, an area of normal faulting (van der Pluijm et al., 1994).

MATERIALS AND METHODS

Samples were taken from an outcrop exposing the Diana Complex within the CCMZ (44°08.568' N, 75°19.991' W). One sample (AK97-15B) was taken from within a shear zone, and the second sample (AK97-15A) came from approximately 15 meters west of the shear zone (Figure 1). The outcrop was dominated by diopside, potassium feldspar, plagioclase, quartz, and hornblende. We looked closely for samples that contained biotite in addition to these other minerals, in order to characterize the distribution of Fe³+ among as many coexisting minerals as possible. The examination of thin sections enabled us to document deformation in individual mineral grains using a petrologic microscope. Analyses of mineral composition were conducted using a Scanning Electron Microscope with Energy Dispersive Spectrometer (SEM/EDS) at Amherst College, MA. With the aid of Dr. Jeremy Delaney, an intense X-ray beam was used to measure Fe³+/∑Fe ratios at Brookhaven National Lab's National Synchrotron Light Source (BNL NSLS) in Long Island, NY, using synchrotron micro-XANES (X-ray absorption near-edge structure) spectroscopy (SmX). Temperatures were calculated using hornblende-plagioclase (Holland & Bundy, 1990) and two feldspar (Haselton *et al.*, 1983) thermometers.

Table 2. Misfit Between Calculated and Measured Unit Cell Volume

	a (Å)	Enti	re Data Set	Literature Data Set Only		
Method		Average	Standard Deviation	Average	Standard Deviation	
using measured Fe ³⁺	12.0560	2.194	10.797	4.190	8.255	
NMNH Calibration*	12.0610	1.952	10.669	3.937	8.080	
	12.1012	0.000	10.564			
	12.1382			0.000	10.215	
Garnet Calibration†	12.0560	2.168	10.943	4.190	8.255	
	12.0610	1.927	10.829	3.937	8.080	
	12.1007	0.000	10.822			
	12.1382			0.000	10.215	
assuming no Fe3+	п.а	18.889	39.365	21.858	41.774	
assuming $Fe^{3+} = 2-A1$	12.0560	2.600	11.302	5.077	9.790	
	12.0610	2,363	11.192	4.833	9.604	
	12.1107	0.000	11.442			
	12.1593			0.000	12.275	
assuming ∑cations=8	12.0560	-1.858	11.182	0.364	9.395	
Droop (1987) method	12.0610	-2.196	11.039	0.019	9.184	
-	12.0285	0.000	12.319			
	12.0613			0.000	9.173	

*NMNH calibration used fayalite-magnetite-hematite method of Bajt *et al.* (1994). †Garnet calibration used 100% Fe²⁺ almandine and 100% Fe³⁺ andradite standards from Dyar (1984).




Figure 2. This plot illustrates that if only x-ray diffraction data were available, measured Fe³⁺ can be predicted only if the measured volume exceeds the unit cell volume for grossular end-member garnet. This relationship is roughly linear and can be described by the equation y=mx+b.

Figure 3. An alternate way of approximating Fe³⁺ content is shown here. This plot illustrates that if only SEM data were available, Fe³⁺ content can be predicted only if the calculated volume exceeds that of grossular. This relationship is roughly linear and can be described by the equation y=mx+b.

RESULTS AND DISCUSSION

Table 1 shows the weight percent oxide and stoichiometry of each of our analyzed points. The weight percent oxide sum is calculated by the SEM/EDS with the assumption that all Fe is Fe²⁺. As expected, these sums are consistently lower than the weight percent oxide sum calculated with the correction factor of Fe³⁺, obtained by the micro-XANES analyses.

The temperature range for metamorphism was determined to be 650°-750°C. This is in agreement with a prior study of the Adirondack region (Bohlen *et al.* 1985). Metamorphic pressure was assumed to be in the range of approximately 5-7 kbar. The homblende-plagioclase thermometer yielded temperatures very tightly clustered at approximately 700°C outside of the shear zone. The two feldspar thermometer gave a broader range of approximately 500-750°C. The temperatures within the shear zone, as calculated by the two feldspar thermometer, are slightly lower, ranging from 400-700°C. In the shear zone sample, unexolved potassium feldspar yielded higher temperatures, and lower temperatures were calculated from exolved perthite.

With the values obtained from the XANES procedure, the distribution of Fe³⁺ among hornblende, clinopyroxene, and biotite was compared (Table 2). Clinopyroxene and hornblende were more oxidized outside of the shear zone than within it. This is consistent with observations of Lamb (1993) based upon coexisting illmenite and magnetite. Outside of the shear zone there was a consistent partitioning of Fe³⁺ between clinopyroxene, hornblende, and biotite, with clinopyroxene > hornblende > biotite.

In the shear zone, and thus at lower temperatures, there is more Fe³⁺ partitioning than in the area outside of the shear zone. This is in conjunction with the tendency for partitioning of elements to decrease with increasing temperature, in which minerals are "less selective."

Chemical zoning within two grains of clinopyroxene and two grains of hornblende was also calculated by the micro-XANES analyses. There was no significant Fe³⁺ zonation on three of these grains. However, one honrnblende grain from outside of the shear zone was highly Fe³⁺ zoned. The core of the hornblende grain had less Fe³⁺ than the rim.

REFERENCES CITED

- Bohlen, S., Valley, J., Essene, E., 1985, Metamorphism in the Adirondacks. I. Petrology, pressure and temperature. Journal of Petrology, v.6, p.971-992.
- Haselton, H. T., Jr., Hovis, G. L., Hemingway, B. S., Robie, R. A., 1983, Calorimetric investigation of the excess entropy of mixing in analbite-sanidine solid solutions; lack of evidence for Na, K short-range order and implications for two-feldspar thermometry. American Mineralogist, v.68, p.398-413.
- Holland, T. J. B., Blundy, J. D., 1990, Calcic amphibole equilibria and a new amphibole-plagioclase geothermometer. Contributions to Mineralogy and Petrology, v.104, p.208-224.
- Lamb, W., M., 1993, Retrograde deformation within the Carthage-Colton Zone as recorded by fluid inclusions and feldspar compositions: tectonic implications for the southern Grenville Province. Contributions to Mineralogy and Petrology, v.114, p.379-394.
- McLelland, J., Stephen, J. D., McLelland, J. M., 1996, The Grenville Orogenic Cycle (ca. 1350-1000 Ma): an Adirondack perspective. Tectonophysics, v.265, p.1-28.
- van der Pluijm, B. A., Mezger, K., Cosca, M. A., Essene, E. J., 1994, Determining the significance of high-grade shear zones by using temperature-time paths, with examples from the Grenville orogen. Geology, v.22, p.743-746.

Table 1. Compositions

AK97# Mineral	15b-1 Hb center	15b-2 Hb edge	15b-3 Cpx center	15b-4 Cpx subgrain	15a-1 Hb edge	15a-2 Hb center
SiO ₂	50.59	50.34	51.60	53.49	45.06	44.49
Al ₂ O ₃	1.32	1.16	1.10	0.74	8.20	8.37
TiO ₂	0.14	0.17	0.32	0.10	0.92	1.09
MgÔ	6.39	6.39	9.73	9.95	11.49	11.39
FeO SEM/EDS	18.31	18.23	14.42	13.30	16.84	17.32
FeO	12.82	12.58	8.22	8.38	8.76	12.30
Fe ₂ O ₃	6.11	6.28	6.89	5.47	8.98	5.58
MnO	0.38	0.31	0.90	0.86	0.61	0.64
CaO	21.11	21.32	20.76	21.14	11.13	10.88
Na ₂ O	1.16	0.56	1.35	1.21	2.13	2.77
K_2O	0.00	0.02	0.00	0.00	1.52 0.00	1.65 0.00
BaO	0.00	0.00	0.10	0.00	0.33	0.28
Cl	0.01	0.00	0.00	0.00	98.23	98.88
Sum SEM/EDS	99.41	98.50	100.28	100.79	99.13	99.44
Sum w/Fe ³⁺	100.02	99.13	100.97	101.34	0.48	0.29
Fe³+/∑Fe	0.30	0.31	0.43	0.37 6	23	23
Stoichiometry	23	23	6	1.961	6.733	6.665
Si	7.578	7.598	1.910 0.048	0.032	1.443	1.477
Al T:	0.232	$0.207 \\ 0.019$	0.009	0.032	0.103	0.123
Ti Ma	0.016		0.537	0.543	2.559	2.544
Mg Fe ²⁺	1.426	1,436	0.337	0.343	1.094	1.541
Fe ³⁺	1.606	1.588 0.713	0.192	0.257	1.010	0.629
	$0.688 \\ 0.048$	0.713	0.192	0.131	0.076	0.029
Mn Co	3.389	3.448	0.028	0.830	1.781	1.747
Ca		0.163	0.097	0.085	0.617	0.804
Na K	0.336	0.103	0.000	0.000	0.290	0.314
	0.000			0.000	0.000	0.000
	Λ $\Lambda \Lambda \Lambda$	0 000				
Ba	0.000	0.000	0.001			0.091
Cl	0.002	0.000	0.000	0.000	0.107	0.091 16.017
C1 Sum	0.002 15.320	0.000 15.214	0.000 3.898	0.000 3.888	0.107 15.813	16.017
Cl	0.002	0.000	0.000	0.000	0.107	
CI Sum AK97# Mineral	0.002 15.320 15a-17 Cpx 17	0.000 15.214 15a-21 Biotite	0.000 3.898 15a-16 Cpx center	0.000 3.888 15a-6 Cpx edge	0.107 15.813	16.017 15a-3
CI Sum AK97# Mineral SiO ₂	0.002 15.320 15a-17 Cpx 17 51.27	0.000 15.214 15a-21	0.000 3.898 15a-16	0.000 3.888 15a-6 Cpx edge 52.24 1.18	0.107 15.813 15a-4 Biotite A 41.10 11.14	16.017 15a-3 Biotite B 40.97 11.12
CI Sum AK97# Mineral SiO ₂ Al ₂ O ₃	0.002 15.320 15a-17 Cpx 17	0.000 15.214 15a-21 Biotite 41.79 11.16	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11	0.107 15.813 15a-4 Biotite A	16.017 15a-3 Biotite B 40.97 11.12 2.71
CI Sum AK97# Mineral SiO ₂ Al ₂ O ₃ TiO ₂	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32	0.000 15.214 15a-21 Biotite 41.79	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79	0.000 3.888 15a-6 Cpx edge 52.24 1.18	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18
CI Sum AK97# Mineral SiO ₂ Al ₂ O ₃ TiO ₂ MgO	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73
CI Sum AK97# Mineral SiO ₂ Al ₂ O ₃ TiO ₂ MgO FeO SEM/EDS	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30 14.78 8.57	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74 18.38	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79 17.77 7.64	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61 6.57	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49 12.28	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73 10.18
CI Sum AK97# Mineral SiO ₂ Al ₂ O ₃ TiO ₂ MgO FeO SEM/EDS FeO	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30 14.78	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74 18.38 10.59 4.55 6.71	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79 17.77 7.64 11.26	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61 6.57 8.93	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49 12.28 1.35	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73 10.18 2.83
CI Sum AK97# Mineral SiO ₂ Al ₂ O ₃ TiO ₂ MgO FeO SEM/EDS	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30 14.78 8.57 6.90 0.91	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74 18.38 10.59 4.55 6.71 0.24	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79 17.77 7.64 11.26 0.59	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61 6.57 8.93 0.93	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49 12.28 1.35 0.18	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73 10.18 2.83 0.17
CI Sum AK97# Mineral SiO ₂ Al ₂ O ₃ TiO ₂ MgO FeO SEM/EDS FeO Fe ₂ O ₃ MnO CaO	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30 14.78 8.57 6.90 0.91 21.18	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74 18.38 10.59 4.55 6.71 0.24 0.00	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79 17.77 7.64 11.26 0.59 12.58	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61 6.57 8.93 0.93 21.20	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49 12.28 1.35 0.18 0.06	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73 10.18 2.83 0.17 0.09
CI Sum AK97# Mineral SiO ₂ Al ₂ O ₃ TiO ₂ MgO FeO SEM/EDS FeO Fe ₂ O ₃ MnO CaO Na ₂ O	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30 14.78 8.57 6.90 0.91 21.18 1.43	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74 18.38 10.59 4.55 6.71 0.24 0.00 0.36	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79 17.77 7.64 11.26 0.59 12.58 1.90	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61 6.57 8.93 0.93 21.20 0.56	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49 12.28 1.35 0.18 0.06 0.40	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73 10.18 2.83 0.17 0.09 0.52
CI Sum AK97# Mineral SiO ₂ Al ₂ O ₃ TiO ₂ MgO FeO SEM/EDS FeO Fe ₂ O ₃ MnO CaO	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30 14.78 8.57 6.90 0.91 21.18 1.43 0.00	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74 18.38 10.59 4.55 6.71 0.24 0.00 0.36 9.62	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79 17.77 7.64 11.26 0.59 12.58 1.90 1.29	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61 6.57 8.93 0.93 21.20 0.56 0.05	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49 12.28 1.35 0.18 0.06 0.40 9.41	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73 10.18 2.83 0.17 0.09 0.52 9.38
CI Sum AK97# Mineral SiO ₂ Al ₂ O ₃ TiO ₂ MgO FeO SEM/EDS FeO Fe ₂ O ₃ MnO CaO Na ₂ O K ₂ O BaO	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30 14.78 8.57 6.90 0.91 21.18 1.43 0.00 0.00	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74 18.38 10.59 4.55 6.71 0.24 0.00 0.36 9.62 0.10	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79 17.77 7.64 11.26 0.59 12.58 1.90 1.29 0.00	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61 6.57 8.93 0.93 21.20 0.56 0.05 0.00	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49 12.28 1.35 0.18 0.06 0.40 9.41 0.06	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73 10.18 2.83 0.17 0.09 0.52 9.38 0.26
CI Sum AK97# Mineral SiO ₂ Al ₂ O ₃ TiO ₂ MgO FeO SEM/EDS FeO Fe ₂ O ₃ MnO CaO Na ₂ O K ₂ O BaO CI	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30 14.78 8.57 6.90 0.91 21.18 1.43 0.00 0.00 0.05	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74 18.38 10.59 4.55 6.71 0.24 0.00 0.36 9.62 0.10 0.26	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79 17.77 7.64 11.26 0.59 12.58 1.90 1.29 0.00 0.33	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61 6.57 8.93 0.93 21.20 0.56 0.05 0.00 0.01	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49 12.28 1.35 0.18 0.06 0.40 9.41 0.06 0.22	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73 10.18 2.83 0.17 0.09 0.52 9.38 0.26 0.23
CI Sum AK97# Mineral SiO ₂ Al ₂ O ₃ TiO ₂ MgO FeO SEM/EDS FeO Fe ₂ O ₃ MnO CaO Na ₂ O K ₂ O BaO CI Sum SEM/EDS	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30 14.78 8.57 6.90 0.91 21.18 1.43 0.00 0.00 0.05 100.67	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74 18.38 10.59 4.55 6.71 0.24 0.00 0.36 9.62 0.10 0.26 95.24	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79 17.77 7.64 11.26 0.59 12.58 1.90 1.29 0.00 0.33 100.25	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61 6.57 8.93 0.93 21.20 0.56 0.05 0.00 0.01 100.61	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49 12.28 1.35 0.18 0.06 0.40 9.41 0.06 0.22 95.91	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73 10.18 2.83 0.17 0.09 0.52 9.38 0.26 0.23 95.36
CI Sum AK97# Mineral SiO ₂ Al ₂ O ₃ TiO ₂ MgO FeO SEM/EDS FeO Fe ₂ O ₃ MnO CaO Na ₂ O K ₂ O BaO CI Sum SEM/EDS Sum w/Fe ³⁺	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30 14.78 8.57 6.90 0.91 21.18 1.43 0.00 0.00 0.05 100.67 101.36	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74 18.38 10.59 4.55 6.71 0.24 0.00 0.36 9.62 0.10 0.26 95.24 95.91	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79 17.77 7.64 11.26 0.59 12.58 1.90 1.29 0.00 0.33 100.25 101.38	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61 6.57 8.93 0.93 21.20 0.56 0.05 0.00 0.01 100.61 101.51	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49 12.28 1.35 0.18 0.06 0.40 9.41 0.06 0.22 95.91 96.05	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73 10.18 2.83 0.17 0.09 0.52 9.38 0.26 0.23 95.36 95.64
CI Sum AK97# Mineral SiO ₂ Al ₂ O ₃ TiO ₂ MgO FeO SEM/EDS FeO Fe ₂ O ₃ MnO CaO Na ₂ O K ₂ O BaO CI Sum SEM/EDS Sum w/Fe ³⁺ Fe ³⁺ /∑Fe	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30 14.78 8.57 6.90 0.91 21.18 1.43 0.00 0.00 0.05 100.67 101.36 0.42	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74 18.38 10.59 4.55 6.71 0.24 0.00 0.36 9.62 0.10 0.26 95.24 95.91 0.57	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79 17.77 7.64 11.26 0.59 12.58 1.90 1.29 0.00 0.33 100.25 101.38 0.57	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61 6.57 8.93 0.93 21.20 0.56 0.05 0.00 0.01 100.61 101.51 0.55	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49 12.28 1.35 0.18 0.06 0.40 9.41 0.06 0.22 95.91 96.05 0.09	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73 10.18 2.83 0.17 0.09 0.52 9.38 0.26 0.23 95.36 95.64 0.20
CI Sum AK97# Mineral SiO ₂ Al ₂ O ₃ TiO ₂ MgO FeO SEM/EDS FeO Fe ₂ O ₃ MnO CaO Na ₂ O K ₂ O BaO CI Sum SEM/EDS Sum w/Fe ³⁺ Fe ³⁺ /∑Fe Stoichiometry	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30 14.78 8.57 6.90 0.91 21.18 1.43 0.00 0.00 0.05 100.67 101.36 0.42	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74 18.38 10.59 4.55 6.71 0.24 0.00 0.36 9.62 0.10 0.26 95.24 95.91 0.57	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79 17.77 7.64 11.26 0.59 12.58 1.90 1.29 0.00 0.33 100.25 101.38 0.57	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61 6.57 8.93 0.93 21.20 0.56 0.05 0.00 0.01 100.61 101.51 0.55 6	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49 12.28 1.35 0.18 0.06 0.40 9.41 0.06 0.22 95.91 96.05 0.09 22	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73 10.18 2.83 0.17 0.09 0.52 9.38 0.26 0.23 95.36 95.64 0.20 22
CI Sum AK97# Mineral SiO ₂ Al ₂ O ₃ TiO ₂ MgO FeO SEM/EDS FeO Fe ₂ O ₃ MnO CaO Na ₂ O K ₂ O BaO CI Sum SEM/EDS Sum w/Fe ³⁺ /∑Fe Stoichiometry Si	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30 14.78 8.57 6.90 0.91 21.18 1.43 0.00 0.00 0.05 100.67 101.36 0.42 6	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74 18.38 10.59 4.55 6.71 0.24 0.00 0.36 9.62 0.10 0.26 95.24 95.91 0.57 22 6.039	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79 17.77 7.64 11.26 0.59 12.58 1.90 1.29 0.00 0.33 100.25 101.38 0.57 6	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61 6.57 8.93 0.93 21.20 0.56 0.05 0.00 100.61 101.51 0.55 6	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49 12.28 1.35 0.18 0.06 0.40 9.41 0.06 0.22 95.91 96.05 0.09 22 6.050	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73 10.18 2.83 0.17 0.09 0.52 9.38 0.26 0.23 95.36 95.64 0.20 22 6.039
CI Sum AK97# Mineral SiO ₂ Al ₂ O ₃ TiO ₂ MgO FeO SEM/EDS FeO Fe ₂ O ₃ MnO CaO Na ₂ O K ₂ O BaO CI Sum SEM/EDS Sum w/Fe ³⁺ Fe ³⁺ /∑Fe Stoichiometry Si Al	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30 14.78 8.57 6.90 0.91 21.18 1.43 0.00 0.00 0.05 100.67 101.36 0.42 6 1.900 0.063	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74 18.38 10.59 4.55 6.71 0.24 0.00 0.36 9.62 0.10 0.26 95.24 95.91 0.57 22 6.039 1.901	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79 17.77 7.64 11.26 0.59 12.58 1.90 1.29 0.00 0.33 100.25 101.38 0.57 6 1.716 0.324	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61 6.57 8.93 0.93 21.20 0.56 0.05 0.00 0.01 100.61 101.51 0.55 6	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49 12.28 1.35 0.18 0.06 0.40 9.41 0.06 0.22 95.91 96.05 0.09 22 6.050 1.932	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73 10.18 2.83 0.17 0.09 0.52 9.38 0.26 0.23 95.36 95.64 0.20 22 6.039 1.932
CI Sum AK97# Mineral SiO, Al ₂ O ₃ TiO ₂ MgO FeO SEM/EDS FeO Fe ₂ O ₃ MnO CaO Na ₂ O K ₂ O BaO CI Sum SEM/EDS Sum w/Fe ³⁺ Fe ³⁺ /∑Fe Stoichiometry Si Al Ti	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30 14.78 8.57 6.90 0.91 21.18 1.43 0.00 0.00 0.05 100.67 101.36 0.42 6 1.900 0.063 0.009	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74 18.38 10.59 4.55 6.71 0.24 0.00 0.36 9.62 0.10 0.26 95.24 95.91 0.57 22 6.039 1.901 0.297	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79 17.77 7.64 11.26 0.59 12.58 1.90 1.29 0.00 0.33 100.25 101.38 0.57 6 1.716 0.324 0.033	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61 6.57 8.93 0.93 21.20 0.56 0.05 0.00 0.01 100.61 101.51 0.55 6 1.903 0.051 0.003	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49 12.28 1.35 0.18 0.06 0.40 9.41 0.06 0.22 95.91 96.05 0.09 22 6.050 1.932 0.335	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73 10.18 2.83 0.17 0.09 0.52 9.38 0.26 0.23 95.36 95.64 0.20 22 6.039 1.932 0.300
CI Sum AK97# Mineral SiO, Al ₂ O ₃ TiO ₂ MgO FeO SEM/EDS FeO Fe ₂ O ₃ MnO CaO Na ₂ O K ₂ O BaO CI Sum SEM/EDS Sum w/Fe ³⁺ Fe ³⁺ /∑Fe Stoichiometry Si Al Ti Mg	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30 14.78 8.57 6.90 0.91 21.18 1.43 0.00 0.00 0.05 100.67 101.36 0.42 6 1.900 0.063 0.009 0.514	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74 18.38 10.59 4.55 6.71 0.24 0.00 0.36 9.62 0.10 0.26 95.24 95.91 0.57 22 6.039 1.901 0.297 3.960	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79 17.77 7.64 11.26 0.59 12.58 1.90 1.29 0.00 0.33 100.25 101.38 0.57 6 1.716 0.324 0.033 0.595	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61 6.57 8.93 0.93 21.20 0.56 0.05 0.00 0.01 100.61 101.51 0.55 6 1.903 0.051 0.003 0.528	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49 12.28 1.35 0.18 0.06 0.40 9.41 0.06 0.22 95.91 96.05 0.09 22 6.050 1.932 0.335 3.690	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73 10.18 2.83 0.17 0.09 0.52 9.38 0.26 0.23 95.36 95.64 0.20 22 6.039 1.932 0.300 3.775
CI Sum AK97# Mineral SiO₂ AI₂O₃ TiO₂ MgO FeO SEM/EDS FeO Fe₂O₃ MnO CaO Na₂O K₂O BaO CI Sum SEM/EDS Sum w/Fe³+ Fe³+/∑Fe Stoichiometry Si Al Ti Mg Fe²-	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30 14.78 8.57 6.90 0.91 21.18 1.43 0.00 0.05 100.67 101.36 0.42 6 1.900 0.063 0.009 0.514 0.266	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74 18.38 10.59 4.55 6.71 0.24 0.00 0.36 9.62 0.10 0.26 95.24 95.91 0.57 22 6.039 1.901 0.297 3.960 0.550	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79 17.77 7.64 11.26 0.59 12.58 1.90 1.29 0.00 0.33 100.25 101.38 0.57 6 1.716 0.324 0.033 0.595 0.236	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61 6.57 8.93 0.93 21.20 0.56 0.05 0.00 0.01 100.61 101.51 0.55 6 1.903 0.051 0.003 0.528 0.201	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49 12.28 1.35 0.18 0.06 0.40 9.41 0.06 0.22 95.91 96.05 0.09 22 6.050 1.932 0.335 3.690 1.511	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73 10.18 2.83 0.17 0.09 0.52 9.38 0.26 0.23 95.36 95.64 0.20 22 6.039 1.932 0.300 3.775 1.256
CI Sum AK97# Mineral SiO ₂ Al ₂ O ₃ TiO ₂ MgO FeO SEM/EDS FeO Fe ₂ O ₃ MnO CaO Na ₂ O K ₂ O BaO CI Sum SEM/EDS Sum w/Fe ³⁺ Fe ³⁺ /∑Fe Stoichiometry Si Al Ti Mg Fe ²⁺ Fe ³⁺ Fe ³⁺	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30 14.78 8.57 6.90 0.91 21.18 1.43 0.00 0.05 100.67 101.36 0.42 6 1.900 0.063 0.009 0.514 0.266 0.192	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74 18.38 10.59 4.55 6.71 0.24 0.00 0.36 9.62 0.10 0.26 95.24 95.91 0.57 22 6.039 1.901 0.297 3.960 0.550 0.729	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79 17.77 7.64 11.26 0.59 12.58 1.90 1.29 0.00 0.33 100.25 101.38 0.57 6 1.716 0.324 0.033 0.595 0.236 0.313	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61 6.57 8.93 0.93 21.20 0.56 0.05 0.00 0.01 100.61 101.51 0.55 6 1.903 0.051 0.003 0.528 0.201 0.245	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49 12.28 1.35 0.18 0.06 0.40 9.41 0.06 0.22 95.91 96.05 0.09 22 6.050 1.932 0.335 3.690 1.511 0.149	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73 10.18 2.83 0.17 0.09 0.52 9.38 0.26 0.23 95.36 95.64 0.20 22 6.039 1.932 0.300 3.775 1.256 0.314
CI Sum AK97# Mineral SiO ₂ Al ₂ O ₃ TiO ₂ MgO FeO SEM/EDS FeO Fe ₂ O ₃ MnO CaO Na ₂ O K ₂ O BaO CI Sum SEM/EDS Sum w/Fe ³⁺ Fe ³⁺ /∑Fe Stoichiometry Si Al Ti Mg Fe ²⁺ Fe ³⁺ Mn	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30 14.78 8.57 6.90 0.91 21.18 1.43 0.00 0.05 100.67 101.36 0.42 6 1.900 0.063 0.009 0.514 0.266 0.192 0.029	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74 18.38 10.59 4.55 6.71 0.24 0.00 0.36 9.62 0.10 0.26 95.24 95.91 0.57 22 6.039 1.901 0.297 3.960 0.550 0.729 0.030	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79 17.77 7.64 11.26 0.59 12.58 1.90 1.29 0.00 0.33 100.25 101.38 0.57 6 1.716 0.324 0.033 0.595 0.236 0.313 0.018	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61 6.57 8.93 0.93 21.20 0.56 0.05 0.00 0.01 100.61 101.51 0.55 6 1.903 0.051 0.003 0.528 0.201 0.245 0.029	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49 12.28 1.35 0.18 0.06 0.40 9.41 0.06 0.22 95.91 96.05 0.09 22 6.050 1.932 0.335 3.690 1.511 0.149 0.022	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73 10.18 2.83 0.17 0.09 0.52 9.38 0.26 0.23 95.36 95.64 0.20 22 6.039 1.932 0.300 3.775 1.256 0.314 0.021
CI Sum AK97# Mineral SiO ₂ Al ₂ O ₃ TiO ₂ MgO FeO SEM/EDS FeO Fe ₂ O ₃ MnO CaO Na ₂ O K ₂ O BaO CI Sum SEM/EDS Sum w/Fe ³⁺ /∑Fe Stoichiometry Si Al Ti Mg Fe ²⁺ Fe ³⁺ Fe ³⁺ Mn Ca	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30 14.78 8.57 6.90 0.91 21.18 1.43 0.00 0.05 100.67 101.36 0.42 6 1.900 0.063 0.009 0.514 0.266 0.192 0.029 0.841	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74 18.38 10.59 4.55 6.71 0.24 0.00 0.36 9.62 0.10 0.26 95.24 95.91 0.57 22 6.039 1.901 0.297 3.960 0.550 0.729 0.030 0.000	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79 17.77 7.64 11.26 0.59 12.58 1.90 1.29 0.00 0.33 100.25 101.38 0.57 6 1.716 0.324 0.033 0.595 0.236 0.313 0.018 0.498	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61 6.57 8.93 0.93 21.20 0.56 0.05 0.00 100.61 101.51 0.55 6 1.903 0.051 0.003 0.528 0.201 0.245 0.029 0.828	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49 12.28 1.35 0.18 0.06 0.40 9.41 0.06 0.22 95.91 96.05 0.09 22 6.050 1.932 0.335 3.690 1.511 0.149 0.022 0.009	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73 10.18 2.83 0.17 0.09 0.52 9.38 0.26 0.23 95.36 95.64 0.20 22 6.039 1.932 0.300 3.775 1.256 0.314 0.021 0.015
CI Sum AK97# Mineral SiO₂ Al₂O₃ TiO₂ MgO FeO SEM/EDS FeO Fe₂O₃ MnO CaO Na₂O K₂O BaO CI Sum SEM/EDS Sum w/Fe³+ Fe³+/∑Fe Stoichiometry Si Al Ti Mg Fe²- Fe³+ Fe³+ Fe³+ Fe³+ Fe³+ Fe³+ Fe³+ Fe³+	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30 14.78 8.57 6.90 0.91 21.18 1.43 0.00 0.05 100.67 101.36 0.42 6 1.900 0.063 0.009 0.514 0.266 0.192 0.029 0.841 0.102	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74 18.38 10.59 4.55 6.71 0.24 0.00 0.36 9.62 0.10 0.26 95.24 95.91 0.57 22 6.039 1.901 0.297 3.960 0.550 0.729 0.030 0.000 0.101	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79 17.77 7.64 11.26 0.59 12.58 1.90 1.29 0.00 0.33 100.25 101.38 0.57 6 1.716 0.324 0.033 0.595 0.236 0.313 0.018 0.498 0.137	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61 6.57 8.93 0.93 21.20 0.56 0.05 0.00 0.01 100.61 101.51 0.55 6 1.903 0.051 0.003 0.528 0.201 0.245 0.029 0.828 0.039	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49 12.28 1.35 0.18 0.06 0.40 9.41 0.06 0.22 95.91 96.05 0.09 22 6.050 1.932 0.335 3.690 1.511 0.149 0.022 0.009 0.113	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73 10.18 2.83 0.17 0.09 0.52 9.38 0.26 0.23 95.36 95.64 0.20 22 6.039 1.932 0.300 3.775 1.256 0.314 0.021 0.015 0.149
CI Sum AK97# Mineral SiO ₂ Al ₂ O ₃ TiO ₂ MgO FeO SEM/EDS FeO Fe ₂ O ₃ MnO CaO Na ₂ O K ₂ O BaO CI Sum SEM/EDS Sum w/Fe ³⁺ Fe ³⁺ /∑Fe Stoichiometry Si Al Ti Mg Fe ²⁻ Fe ³⁺ Mn Ca Na K	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30 14.78 8.57 6.90 0.91 21.18 1.43 0.00 0.05 100.67 101.36 0.42 6 1.900 0.063 0.009 0.514 0.266 0.192 0.029 0.841 0.102 0.000	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74 18.38 10.59 4.55 6.71 0.24 0.00 0.36 9.62 0.10 0.26 95.24 95.91 0.57 22 6.039 1.901 0.297 3.960 0.550 0.729 0.030 0.000 0.101 1.773	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79 17.77 7.64 11.26 0.59 12.58 1.90 1.29 0.00 0.33 100.25 101.38 0.57 6 1.716 0.324 0.033 0.595 0.236 0.313 0.018 0.498 0.137 0.061	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61 6.57 8.93 0.93 21.20 0.56 0.05 0.00 0.01 100.61 101.51 0.55 6 1.903 0.051 0.003 0.528 0.201 0.245 0.029 0.828 0.039 0.002	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49 12.28 1.35 0.18 0.06 0.40 9.41 0.06 0.22 95.91 96.05 0.09 22 6.050 1.932 0.335 3.690 1.511 0.149 0.022 0.009 0.113 1.767	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73 10.18 2.83 0.17 0.09 0.52 9.38 0.26 0.23 95.36 95.64 0.20 22 6.039 1.932 0.300 3.775 1.256 0.314 0.021 0.015 0.149 1.764
CI Sum AK97# Mineral SiO ₂ Al ₂ O ₃ TiO ₂ MgO FeO SEM/EDS FeO Fe ₂ O ₃ MnO CaO Na ₂ O K ₂ O BaO CI Sum SEM/EDS Sum w/Fe ³⁺ Fe ³⁺ /∑Fe Stoichiometry Si Al Ti Mg Fe ²⁻ Fe ³⁺ Fe ³⁺ Mn Ca Na K Ba	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30 14.78 8.57 6.90 0.91 21.18 1.43 0.00 0.05 100.67 101.36 0.42 6 1.900 0.063 0.009 0.514 0.266 0.192 0.029 0.841 0.102 0.000 0.000	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74 18.38 10.59 4.55 6.71 0.24 0.00 0.36 9.62 0.10 0.26 95.24 95.91 0.57 22 6.039 1.901 0.297 3.960 0.550 0.729 0.030 0.000 0.101 1.773 0.006	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79 17.77 7.64 11.26 0.59 12.58 1.90 1.29 0.00 0.33 100.25 101.38 0.57 6 1.716 0.324 0.033 0.595 0.236 0.313 0.018 0.498 0.137 0.061 0.000	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61 6.57 8.93 0.93 21.20 0.56 0.05 0.00 0.01 100.61 101.51 0.55 6 1.903 0.051 0.003 0.528 0.201 0.245 0.029 0.828 0.039 0.002 0.000	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49 12.28 1.35 0.18 0.06 0.40 9.41 0.06 0.22 95.91 96.05 0.09 22 6.050 1.932 0.335 3.690 1.511 0.149 0.022 0.099 0.113 1.767 0.003	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73 10.18 2.83 0.17 0.09 0.52 9.38 0.26 0.23 95.36 95.64 0.20 22 6.039 1.932 0.300 3.775 1.256 0.314 0.021 0.015 0.149 1.764 0.015
CI Sum AK97# Mineral SiO ₂ Al ₂ O ₃ TiO ₂ MgO FeO SEM/EDS FeO Fe ₂ O ₃ MnO CaO Na ₂ O K ₂ O BaO CI Sum SEM/EDS Sum w/Fe ³⁺ Fe ³⁺ /∑Fe Stoichiometry Si Al Ti Mg Fe ²⁻ Fe ³⁺ Mn Ca Na K	0.002 15.320 15a-17 Cpx 17 51.27 1.43 0.32 9.30 14.78 8.57 6.90 0.91 21.18 1.43 0.00 0.05 100.67 101.36 0.42 6 1.900 0.063 0.009 0.514 0.266 0.192 0.029 0.841 0.102 0.000	0.000 15.214 15a-21 Biotite 41.79 11.16 2.74 18.38 10.59 4.55 6.71 0.24 0.00 0.36 9.62 0.10 0.26 95.24 95.91 0.57 22 6.039 1.901 0.297 3.960 0.550 0.729 0.030 0.000 0.101 1.773	0.000 3.898 15a-16 Cpx center 46.39 7.42 1.19 10.79 17.77 7.64 11.26 0.59 12.58 1.90 1.29 0.00 0.33 100.25 101.38 0.57 6 1.716 0.324 0.033 0.595 0.236 0.313 0.018 0.498 0.137 0.061	0.000 3.888 15a-6 Cpx edge 52.24 1.18 0.11 9.72 14.61 6.57 8.93 0.93 21.20 0.56 0.05 0.00 0.01 100.61 101.51 0.55 6 1.903 0.051 0.003 0.528 0.201 0.245 0.029 0.828 0.039 0.002	0.107 15.813 15a-4 Biotite A 41.10 11.14 3.03 16.82 13.49 12.28 1.35 0.18 0.06 0.40 9.41 0.06 0.22 95.91 96.05 0.09 22 6.050 1.932 0.335 3.690 1.511 0.149 0.022 0.009 0.113 1.767	16.017 15a-3 Biotite B 40.97 11.12 2.71 17.18 12.73 10.18 2.83 0.17 0.09 0.52 9.38 0.26 0.23 95.36 95.64 0.20 22 6.039 1.932 0.300 3.775 1.256 0.314 0.021 0.015 0.149 1.764

Table 2. Distribution Coefficients for Fe

SAMPLE	MINERALS COMPARED	Fe³+/∑Fe	$Fe^{3+}/Fe^{3+} + Al$	$Fe^{2+}/Fe^{2+} + Mg$
AK97-15A	Hb edge/cpx 17	1.14	0.55	0.88
Outside shear	Hb edge/cpx edge	0.87	0.50	1.09
zone	Hb edge/cpx center	0.84	0.84	1.05
	Hb edge/biotite A	5.33	5.72	1.03
	Hb edge/biotite B	2.40	2.94	1.20
	Hb center/cpx 17	0.69	0.40	1.11
	Hb cente/cpx edge	0.53	0.36	1.37
	Hb center/cpx center	0.51	0.61	1.33
	Hb center/biotite A	3.22	4.15	1.30
	Hb center/biotite B	1.45	2.14	1.51
	cpx 17/biotite A	4.67	10.47	1.17
	cpx 17/biotite B	2.10	5.39	1.36
	cpx edge/biotite A	6.11	11.51	0.95
	cpx edge/biotite B	2.75	5.92	1.10
	cpx center/biotite A	6.33	6.83	0.87
	cpx center/biotite B	2.85	3.51	1.14
AK97-15B	Hb center/cpx center	0.70	0.93	1.65
Within shear	Hb center/cpx subgrain	0.81	0.91	1.65
zone	Hb edge/cpx center	0.72	0.97	1.64
	Hb edge/cpx subgrain	0.84	0.94	1.64




Figure 1. Adirondack Mountains, NY: Regional map with isotherms (metamorphic temperatures, *C): Samples AK97-15A and AK97-15B taken from the Carthage-Colton Mylonite Zone (CCMZ), which separates Adirondack Lowlands from Adirondack Highlands (Bohlen et al.1985).

Fe³⁺ partitioning and geothermometry of coexisting garnet and clinopyroxene pairs in Adirondack metanorthosite, northern New York

Daniel Harrington

Department of Geology, Amherst College, Amherst, MA 01002

Faculty sponsor: Peter Crowley, Amherst College

Anna Monders

Department of Geology, Whitman College, Walla Walla, WA 99362

Faculty sponsor: John Winter, Whitman College

INTRODUCTION

The partitioning of Mg²⁺ and Fe²⁺ between mafic minerals is the basis for many modern geothermometers. Although only Fe²⁺ is involved in those calculations, practical application of most geothermometers has involved the use of data for which only total Fe (i.e. Fe²⁺+Fe³⁺) was measured, due to the fact that conventional microprobe analysis cannot discriminate between multivalent species of iron. The oxidation state of iron, the most common multivalent element in rock-forming minerals, has previously been measured only by wet chemical and spectroscopic methods that are difficult and time-consuming. In this study, synchrotron micro-XANES (X-ray absorption near-edge structure), or SmX, has been used to measure Fe³⁺ partitioning at the micrometer scale. Our project combined mineral composition data from SEM/EDS analysis and Fe³⁺/ΣFe from SmX analysis in order to give a closer look at Adirondack geothermometry and partitioning of Fe³⁺ in mafic silicates.

SAMPLE SELECTION, PREPARATION, AND ANALYSIS METHODS

This study focused on sample AK973b collected from a road cut in the anorthosite of the Marcy facies near the village of Saranac Lake, New York. The anorthosite sample thin section was mounted on 100% silica glass to ensure that there was no Fe from the thin section glass in the SmX Fe spectra.

After visually identifying the minerals in the thin section with a petrographic microscope, the SEM/EDS at Amherst College was used to determine the major element chemical composition of specific mineral grains. Petrographic microscope and SEM/EDS backscatter images allowed identification of mineral pairs in equilibrium that would be suitable for geothermometry (figures 1 and 2). Seven of these points (four mineral pairs consisting of garnet and clinopyroxene) were analyzed at the National Synchrotron Light Source at Brookhaven National Laboratory using the SmX technique to determine Fe³⁺ content (table 1). To establish established baselines, fayalite, magnetite, and hematite standards (0%, 67%, and 100% Fe³⁺, respectively) were analyzed at the beginning and end of each 12 hour beam session. The magnetite standard was analyzed between every two unknown analyses in order to provide a calibration for Fe despite drift of the x-ray beam, using the method of Bajt et al. (1994).

Four different methods were used to generate chemical compositions that could be input in geothermometry calculations for each of the mineral pairs: (1) All Fe was assumed to be Fe²⁺. (2) SmX Fe³⁺ data was used for both garnet and clinopyroxene. (3) Fe³⁺ in garnet was assumed to be zero, and SmX Fe³⁺ data was used for clinopyroxene. (4) Fe³⁺ in garnet was calculated using stoichiometry (Fe³⁺=2-Al), and SmX data was used for clinopyroxene.

The garnet and clinopyroxene compositions were used to calculated metamorphic temperatures in the Saranac Lake area using the garnet-clinopyroxene geothermometers of Ellis and Green (1979) and Powell (1985).

RESULTS

The garnet SmX results gave 10%, 13%, 14%, and 21% for the Fe³⁺/ Σ Fe of the four garnets analyzed (figure 7 and table 3). Those Fe³⁺ concentrations result in overfilling of the two 6-fold sites in the structure, such that Al + Fe³⁺ > 2. This would require that some Fe³⁺ be in 8-fold coordination, which is unlikely, indicating that our SmX calibration for garnet may not be reliable.

Four garnet and clinopyroxene pairs were used for geothermometry analysis (figures 2a-5d and table 2). Assuming that all Fe was Fe²⁺ gave metamorphic temperatures in the range of 700-750°C, but factoring in Fe³⁺ from the SmX analysis lowered the temperature to 575-600°C (figure 6). Since the garnet Fe³⁺ SmX data may not be