

PROCEEDINGS OF THE TWENTY-EIGHTH ANNUAL KECK RESEARCH SYMPOSIUM IN GEOLOGY

April 2015
Union College, Schenectady, NY

Dr. Robert J. Varga, Editor
Director, Keck Geology Consortium
Pomona College

Dr. Holli Frey
Symposium Convener
Union College

Carol Morgan
Keck Geology Consortium Administrative Assistant

Christina Kelly
Symposium Proceedings Layout & Design
Office of Communication & Marketing
Scripps College

*Keck Geology Consortium
Geology Department, Pomona College
185 E. 6th St., Claremont, CA 91711
(909) 607-0651, keckgeology@pomona.edu, keckgeology.org*

ISSN# 1528-7491

The Consortium Colleges

The National Science Foundation

ExxonMobil Corporation

**KECK GEOLOGY CONSORTIUM
PROCEEDINGS OF THE TWENTY-EIGHTH ANNUAL KECK
RESEARCH SYMPOSIUM IN GEOLOGY
ISSN# 1528-7491**

April 2015

Robert J. Varga
Editor and Keck Director
Pomona College

Keck Geology Consortium
Pomona College
185 E 6th St., Claremont, CA
91711

Christina Kelly
Proceedings Layout & Design
Scripps College

Keck Geology Consortium Member Institutions:

**Amherst College, Beloit College, Carleton College, Colgate University, The College of Wooster,
The Colorado College, Franklin & Marshall College, Macalester College, Mt Holyoke College,
Oberlin College, Pomona College, Smith College, Trinity University, Union College,
Washington & Lee University, Wesleyan University, Whitman College, Williams College**

2014-2015 PROJECTS

RESILIENCE OF ENDANGERED ACROPORA SP. CORALS IN BELIZE. WHY IS CORAL GARDENS REEF THRIVING?:

Faculty: LISA GREER, Washington & Lee University, HALARD LESCINSKY, Otterbein University, KARL WIRTH, Macalester College

Students: ZEBULON MARTIN, Otterbein University, JAMES BUSCH, Washington & Lee University, SHANNON DILLON, Colgate University, SARAH HOLMES, Beloit College, GABRIELA GARCIA, Oberlin College, SARAH BENDER, The College of Wooster, ERIN PEELING, Pennsylvania State University, GREGORY MAK, Trinity University, THOMAS HEROLD, The College of Wooster, ADELE IRWIN, Washington & Lee University, ILLIAN DECORTE, Macalester College

TECTONIC EVOLUTION OF THE CHUGACH-PRINCE WILLIAM TERRANE, SOUTH CENTRAL ALASKA:

Faculty: CAM DAVIDSON, Carleton College, JOHN GARVER Union College

Students: KAITLYN SUAREZ, Union College, WILLIAM GRIMM, Carleton College, RANIER LEMPERT, Amherst College, ELAINE YOUNG, Ohio Wesleyan University, FRANK MOLINEK, Carleton College, EILEEN ALEJOS, Union College

EXPLORING THE PROTEROZOIC BIG SKY OROGENY IN SW MONTANA: METASUPRACRUSTAL ROCKS OF THE RUBY RANGE

Faculty: TEKLA HARMS, Amherst College, JULIE BALDWIN, University of Montana

Students: BRIANNA BERG, University of Montana, AMAR MUKUNDA, Amherst College, REBECCA BLAND, Mt. Holyoke College, JACOB HUGHES, Western Kentucky University, LUIS RODRIGUEZ, Universidad de Puerto Rico-Mayaguez, MARIAH ARMENTA, University of Arizona, CLEMENTINE HAMELIN, Smith College

Funding Provided by:
Keck Geology Consortium Member Institutions
The National Science Foundation Grant NSF-REU 1358987
ExxonMobil Corporation

GEOMORPHOLOGIC AND PALEOENVIRONMENTAL CHANGE IN GLACIER NATIONAL PARK, MONTANA:

Faculty: KELLY MACGREGOR, Macalester College, AMY MYRBO, LabCore, University of Minnesota

Students: ERIC STEPHENS, Macalester College, KARLY CLIPPINGER, Beloit College, ASHLEIGH, COVARRUBIAS, California State University-San Bernardino, GRAYSON CARLILE, Whitman College, MADISON ANDRES, Colorado College, EMILY DIENER, Macalester College

ANTARCTIC PLIOCENE AND LOWER PLEISTOCENE (GELASIAN) PALEOCLIMATE RECONSTRUCTED FROM OCEAN DRILLING PROGRAM WEDDELL SEA CORES:

Faculty: SUZANNE O'CONNELL, Wesleyan University

Students: JAMES HALL, Wesleyan University, CASSANDRE STIRPE, Vassar College, HALI ENGLERT, Macalester College

HOLOCENE CLIMATIC CHANGE AND ACTIVE TECTONICS IN THE PERUVIAN ANDES: IMPACTS ON GLACIERS AND LAKES:

Faculty: DON RODBELL & DAVID GILLIKIN, Union College

Students: NICHOLAS WEIDHAAS, Union College, ALIA PAYNE, Macalester College, JULIE DANIELS, Northern Illinois University

GEOLOGICAL HAZARDS, CLIMATE CHANGE, AND HUMAN/ECOSYSTEMS RESILIENCE IN THE ISLANDS OF THE FOUR MOUNTAINS, ALASKA

Faculty: KIRSTEN NICOLAYSEN, Whitman College

Students: LYDIA LOOPESKO, Whitman College, ANNE FULTON, Pomona College, THOMAS BARTLETT, Colgate University

CALIBRATING NATURAL BASALTIC LAVA FLOWS WITH LARGE-SCALE LAVA EXPERIMENTS:

Faculty: JEFF KARSON, Syracuse University, RICK HAZLETT, Pomona College

Students: MARY BROMFIELD, Syracuse University, NICHOLAS BROWNE, Pomona College, NELL DAVIS, Williams College, KELSA WARNER, The University of the South, CHRISTOPHER PELLAND, Lafayette College, WILLA ROWEN, Oberlin College

FIRE AND CATASTROPHIC FLOODING, FOURMILE CATCHMENT, FRONT RANGE, COLORADO:

Faculty: DAVID DETHIER, Williams College, WILLIAM B. OUMET, University of Connecticut, WILLIAM KASTE, The College of William and Mary

Students: GREGORY HARRIS, University of Connecticut, EDWARD ABRAHAMS, The College of William & Mary, CHARLES KAUFMAN, Carleton College, VICTOR MAJOR, Williams College, RACHEL SAMUELS, Washington & Lee University, MANEH KOTIKIAN, Mt. Holyoke College

SOPHOMORE PROJECT: AQUATIC BIOGEOCHEMISTRY: TRACKING POLLUTION IN RIVER SYSTEMS

Faculty: ANOUK VERHEYDEN-GILLIKIN, Union College

Students: CELINA BRIEVA, Mt. Holyoke College, SARA GUTIERREZ, University of California-Berkeley, ALESIA HUNTER, Beloit College, ANNY KELLY SAINVIL, Smith College, LARENZ STOREY, Union College, ANGEL TATE, Oberlin College

Funding Provided by:
Keck Geology Consortium Member Institutions
The National Science Foundation Grant NSF-REU 1358987
ExxonMobil Corporation

**Keck Geology Consortium: Projects 2014-2015
Short Contributions—Paleoclimate Change from
Peruvian Lake Deposits Project**

**HOLOCENE CLIMATIC CHANGE AND ACTIVE TECTONICS IN THE PERUVIAN ANDES:
IMPACTS ON GLACIERS AND LAKES**

DON RODBELL, Union College
DAVID GILLIKIN, Union College

**BIOGEOCHEMISTRY AND SEDIMENT TRANSPORT THROUGH A TROPICAL ANDEAN
PATERNOSTER LAKE SYSTEM: A MODERN CALIBRATION PROXY FOR LIMNOLOGICALLY-
BASED PALEOCLIMATE RECONSTRUCTIONS**

NICHOLAS WEIDHAAS, Union College
Research Advisors: Donald Rodbell and David Gillikin

GLACIAL VARIABILITY IN THE PERUVIAN ANDES AS RECORDED IN LAKE SEDIMENTS

ALIA PAYNE, Macalester College
Research Advisors: Kelly MacGregor, Macalester College

**HOLOCENE CLIMATE VARIABILITY IN THE PERUVIAN ANDES RECORDED IN PROGLACIAL
LAKE SEDIMENTS FROM LAGUNA PEROLCOCHA IN THE QUILCAYHUANCA VALLEY**

JULIE DANIELS, Northern Illinois University
Research Advisor: Nathan Stansell

Funding Provided by:
Keck Geology Consortium Member Institutions
The National Science Foundation Grant NSF-REU 1358987
ExxonMobil Corporation



Learning Science
Through Research

Published by Keck Geology Consortium

Short Contributions
28th Annual Symposium Volume
25th April, 2015
ISBN: 1528-7491

HOLOCENE CLIMATIC CHANGE AND ACTIVE TECTONICS IN THE PERUVIAN ANDES: IMPACTS ON GLACIERS AND LAKES

DONALD T. RODBELL, Union College

DAVID P. GILLIKIN, Union College

INTRODUCTION

Mountain glaciers are one of the best recorders of atmospheric change over the continents, and numerous workers have highlighted the importance of glacial deposits in tropical paleoclimate studies (Porter, 2001; Mark and Seltzer, 2005; Polissar *et al.*, 2006a; Rodbell *et al.*, 2009; Hastenrath, 2009; Licciardi *et al.*, 2009). Glaciers are also an important water resource in the tropics, and documenting the timing and causes of past variability is needed to predict future runoff changes. Studies of ice volume change in the tropics, the heat engine of Earth, provide useful information about past shifts in atmospheric water vapor content (Broecker, 1997), and such studies are important for understanding the role of the low latitude hydrologic cycle in modulating global temperature and moisture-balance fluctuations (Seager *et al.*, 2000). However, these studies are currently confounded by a discontinuous record of Holocene glacial variability, one that is only broadly defined: restricted ice cover early in the Holocene, followed by a regionally complicated glacial history during the middle and late Holocene (e.g., Rodbell *et al.*, 2009). While there are no current studies on modern sediment yields in glaciated catchments in the tropical Andes, climate and topographic conditions suggest that rates could be relatively high and closely related to climate-mediated glacier mass balance changes. Given a homogeneous temperature regime, tropical glaciers are highly sensitive to moisture related fluxes and variables such as accumulation, albedo, cloudiness, atmospheric long wave emission, and sublimation (Kaser *et al.*, 2003; Vuille *et al.*, 2008). Tropical Andean glaciers are warm-based, have strong vertical mass balance gradients, and are marked by year-round ablation (Kaser, 2001). Seasonally, maximum rates of ablation are coincident with maximum accumulation, as melt rates increase 30% in the wet season (Kaser *et al.*, 1990). With high annual precipitation, mass turnover is

sizeable and glaciers have short response times to changes in net balance, as demonstrated by the synchrony of hydrologically-derived mass balance with observations of terminus positions (Kaser *et al.*, 2003). Variations in glacial flour flux should, therefore, closely correspond to variations in ice extent with a lag time of less than a few years.

Recent studies focusing on Holocene glaciation in the Southern Hemisphere have illustrated both the exciting potential for better moraine chronologies to elucidate global climate dynamics (Licciardi *et al.*, 2009; Schaefer *et al.*, 2009), and also the limitations of inherently discontinuous moraine records for discerning the relative scale (“footprint”) of local and global forcing on glacier changes. There remains uncertainty about the relative timing of glacier advances across the globe during the Holocene, and whether these events are globally synchronous or if significant leads and lags took place (Balco, 2009; Schaefer *et al.*, 2009). Our research advances the scientific understanding of climate change in the tropical Andes by investigating several temporal and spatial scales of how these changes are recorded in lake sediments.

PROJECT OVERVIEW

A prime goal of this year’s project is to test proxies of glacial extent by studying various temporal and spatial scales of sedimentological records. Our main focus is a paternoster system of lakes in the glaciated Queshque Valley on the western side of the Cordillera Blanca in the western Andes of central Peru (Fig 1). There, we investigated several climate proxies from the ice-contact lake at the toe of the modern glacier downvalley 8 km though three other moraine-dammed lakes and their connecting streams. We also investigate short cores in these same lakes to determine how




Figure 1. Location map of the two valleys studied in the Cordillera Blanca, Peru.

these proxies correlate though time within the same valley. Our final objective is to document the spatial variability of the sedimentologic and geochemical records by examining sediment cores from the glaciated Quilcayhuanca Valley, 40 km to the north.

The Peru Keck group spent three weeks in Peru, using the city of Huaraz as our base (~3000 meters above sea level (masl)). We camped for 10 nights in Queshque Valley sampling the lakes, which range from 4685 masl to 4250 masl over a nearly 8 km distance. We then spent an additional 5 nights in Quilcayhuanca Valley, where we hiked up to the lake Perolcocha at 4720 masl from our camp at 4150 masl.

Nick Weidhaas (Union College) has been investigating the modern sediment supply in the Queshque Valley. The aim is to determine how proxies (e.g., clastics, elemental signature, stable isotopes, etc.) vary with distance from the glacier. Nick sampled surface sediments from the lakes as well as water chemistry in lakes and intervening streams. His work revealed that as new lakes form they act as sediment traps and can alter the amount of glacially derived sediments delivered to lakes downvalley. Nick also documented

the diurnal cycle of proglacial sediment yield to the paternoster lake sequence.

Alia Payne (Macalester College) has been studying short cores from the ice contact lake downvalley to the lowest lake in the paternoster sequence. Her results reveal that over the last centurion, the upvalley lakes have captured more of magnetic signal derived from glacial erosion than have downvalley lakes. Likewise, total organic carbon is lowest in upvalley lakes and highest in downvalley lakes, reflecting increased biologic productivity in the more distal settings. All lakes in distal settings show a pronounced increase in organic productivity over the past several centuries, which records the progressive diminution of suspended clastic input into these lakes in response to recent ice retreat.

Julie Daniels (Northern Illinois University) expanded the study into another valley by studying sediment cores from Laguna Perolcocha, in Quebrada Quilcayhuanca. The Perolcocha record reveals pronounced intervals of enhanced glacial sediment flux during the early Holocene, between 5 and 2 ka, and during the last several centuries, which is broadly consistent with the record from the Queshque Valley.

ACKNOWLEDGEMENTS

This work was cofunded by the Keck Foundation and by NSF grant EAR-1003711 (to DTR). We thank Freddy Manrique of Huaraz Peru for all of the wonderful meals he served, and the Ames family of Huaraz for organizing all of our in-country travel.

REFERENCES

- Balco, G., 2009. The Geographic Footprint of Glacier Change. *Science*, 324(5927): 599-600.
- Broecker, W.S., 1997. Mountain Glaciers: Recorders of atmospheric water vapor content? *Global Biogeochemical Cycles*, 11(4): 589-597.
- Hastenrath, S., 2009. Past glaciation in the tropics. *Quaternary Science Reviews*, 28(9-10): 790.
- Kaser, G., 2001. Glacier-climate interaction at low latitudes. *Journal of Glaciology*, 47(157): 195-204.
- Kaser, G., Ames, A. and Zamora, M., 1990. *Glacier Fluctuations and Climate in the Cordillera*

- Blanca, Peru. *Annals of Glaciology*, 14: 136-140.
- Kaser, G., Juen, I., Georges, C., Gomez, J. and Tamayo, W., 2003. The impact of glaciers on the runoff and the reconstruction of mass balance history from hydrological data in the tropical Cordillera Blanca, Peru. *Journal of Hydrology*, 282: 130-144.
- Licciardi, J.M., Schaefer, J.M., Taggart, J.R. and Lund, D.C., 2009. Holocene Glacier Fluctuations in the Peruvian Andes Indicate Northern Climate Linkages. *Science*, 325(5948): 1677-1679.
- Mark, B.G. and Seltzer, G.O., 2005. Evaluation of recent glacier recession in the Cordillera Blanca, Peru (AD 1962-1999): spatial distribution of mass loss and climatic forcing. *Quaternary Science Reviews*, 24(20-21): 2265.
- Polissar, P.J., Abbott, M.B., Wolfe, A.P., Bezada, M., Rull, V. and Bradley, R.S., 2006a. Solar modulation of Little Ice Age climate in the tropical Andes. *Proceedings of the National Academy of Sciences*, 103(24): 8937-8942.
- Porter, S.C., 2001. Snowline depression in the tropics during the Last Glaciation. *Quaternary Science Reviews*, 20: 1067-1091.
- Rodbell, D.T., Smith, J.A. and Mark, B.G., 2009. Glaciation in the Andes during the Late Glacial and Holocene. *Quaternary Science Reviews* 28: 2165–2212.
- Schaefer, J.M. et al., 2009. High-Frequency Holocene Glacier Fluctuations in New Zealand Differ from the Northern Signature. *Science*, 324(5927): 622-625.
- Seager, R., Clement, A.C. and Cane, M., 2000. Glacial cooling in the tropics: exploring the roles of tropospheric water vapor, surface wind speed, and boundary layer processes. *Journal of Atmospheric Sciences*, 57: 2144-2157.
- Vuille, M., Kaser, G. and Juen, I., 2008. Glacier mass balance variability in the Cordillera Blanca, Peru and its relationship with climate and the large-scale circulation. *Global and Planetary Change*, 62: 14-28.